

Bluesocket 2135

Premium, High Density, High Performance
Dual Radio Outdoor 802.11ac Access Point

Product Features

- 802.11a/b/g/n/ac wireless access points supporting MIMO antenna technology
- Dual radio 2.4 GHz and 5 GHz
- Full 3x3:3 MIMO performance
- Data rates up to 1.3 Gbps on 5 GHz radio and 450 Mbps on 2.4 GHz radio
- Built-in carrier class antenna and Ethernet surge protection
- Powered by 802.3at (PoE+)
- User configurable maximum-associated clients per radio
- Increased receive sensitivity to compensate for mobile devices with less transmit power
- Zero-touch AP deployment—APs automatically discover vWLAN, download firmware, and download configuration
- Supports WMM/802.11e and QoS for Enterprise-class Voice over Wi-Fi®
- DynamicRF Radio Resource Management Technology—automatically configures optimal radio settings to maximize performance
- Integrated wireless intrusion detection system to identify rogue access points and wireless attacks
- Supports stateful firewall for highest security at the edge

ADTRAN's wireless portfolio includes a family of 802.11n and 802.11ac high-performance Access Points (APs) that are a perfect fit for enterprises of all sizes, including educational institutions, retail, hospitality, and healthcare providers who are looking to move their organizations to a pervasive mobility environment. Bluesocket® APs are completely plug-and-play requiring no manual configuration and deliver optimal performance. Whether you want to add wireless to your office or deploy across an entire campus, the Bluesocket APs are designed to meet your needs.

Cost Effective, High Performance, Reliable Connectivity

The Bluesocket 2135 outdoor 802.11ac AP offers enterprise-grade performance with three transmit and three receive streams providing data rates up to 1.3 Gbps on the 5 GHz radio and 450 Mbps on the 2.4 GHz radio for a total of 1.75 Gbps. With a weather resistant, industrial-grade enclosure and built-in carrier class antenna and Ethernet surge protection, the BSAP 2135 APs provide the highest performance, extended range wireless coverage in the most harsh outdoor environments.

The Bluesocket 2135 APs provide high performance, reliable coverage in ultra-high density wireless environments with laptops, mobile phones and tablets. The BSAP 2135s offer higher receive sensitivity on both the 2.4 GHz and 5 GHz radios to compensate for Bring Your Own Device (BYOD) type mobile devices such as smartphones and tablets that have a fraction of the transmit power of traditional laptops.

The Bluesocket 2135 APs include six N-type connectors for external antennas, and are fully functional with power delivered by a single port 802.3at (PoE+) solution.

Flexible, Cloud-Managed Options

The Bluesocket APs operate in conjunction with ADTRAN's flexible portfolio of cloud-managed deployment options including public cloud, private cloud or partner cloud with the freedom to migrate among them.

ADTRAN's wireless solutions are built on virtual Wireless LAN (vWLAN), the industry's premier cloud-managed wireless LAN. ADTRAN's vWLAN® is simple yet powerful: simple in that it is intuitive, easy to learn, setup and use, and powerful with unmatched visibility, security, reliability, scalability and performance. In addition, ADTRAN's ProServicesSM offers the most robust lifecycle professional services—from initial designs, to onsite surveys, to installations, all the way to end-user Help Desk.

Deployments Made Simple—Auto Provision, Auto Configure, Auto Optimize

- **Zero-touch AP deployment:** APs automatically discover vWLAN in the cloud, download firmware and download configuration.
- **DynamicRF:** Radio Resource Management (RRM) technology maximizes performance, adapts to interference, and provides seamless L2/L3 mobility by automatically setting channel and TX power settings, discovering neighbors and load balancing.

Unsurpassed Security, Reliability, Scalability and Performance

- **Context-aware Access Control** allows you to define security policies based on users, device type, ownership, location and schedules. Businesses can now support BYOD or allow guest access while ensuring highest levels of network security.
- **Built-in Wireless Intrusion Detection (W-IDS)** to detect and isolate rogue access points in the network.
- **Built-in High-Availability (HA)** with zero packet loss failover ensures a reliable, always-on network.
- **Elastic Scalability** allows the network to quickly scale without the constraints of legacy hardware controllers.



Bluesocket 2135

Premium, High Density, High Performance
Dual Radio Outdoor 802.11ac Access Point

Product Specifications

Interfaces

- One Auto-sensing, 10/100/1000Base-T, RJ-45 Connector

Antenna

- Six N-type Connectors

Radios

- 802.11a/n/ac and 802.11b/g/n
- Configurable for Sensor-mode RF Scanning
- DynamicRF (Radio Resource Management) for Automatic Channel, TX Power, and Neighbor Discovery
- Configurable Maximum Associated Clients per Radio
- Multicast/Broadcast to Unicast Conversion
- A-MPDU and A-MSDU Frame Aggregation
- HT20, HT40 (High Throughput) and VHT80 (Very High Throughput)
- Max Transmit Power—400mW

Certifications

- Wi-Fi 802.11a/b/g/n/ac Certification

Mobility Services

- Eight SSIDs per Radio
- Support for Apple Bonjour Based Services (Airprint, Airplay), Apple CNA, and Microsoft NCSI
- Wireless Client Load Balancing
- Secure Fast Roaming with Opportunistic Key Caching (OKC)
- Seamless Layer 2 and Layer 3 Roaming
- High Availability

QOS for Voice, Data, and Video

- Smart Bandwidth Management (Incoming, Outgoing)
- WMM (802.11e)
- 802.1p or Differentiated Service Code Point (DSCP)
- WMM Power Save (U-APSD)

Security

- 802.1X Port-based Authentication
- Open System (WEP-64/128)
- Shared System (WEP-64/128)
- WPA/WPA2-Personal
- WPA/WPA2-Enterprise
- EAP-TTLS
- EAP-PEAP
- EAP-FAST
- EAP-TLS
- EAP-SIM
- EAP-AKA

Bluesocket 2135

Premium, High Density, High Performance
Dual Radio Outdoor 802.11ac Access Point

Environment

- **Operating:** -40° F to 140° F (-40° C to 55° C)
- **Storage:** -58° F to 150° F (-40° C to 70° C)
- **Humidity:** 5% to 90% typical
- **Waterproof:**
 - IP67
 - Salt-spray resistant
- Built-in Carrier Class Antenna and Ethernet Surge Protection

Physical

- **Dimensions:** 9.6 in. x 7.8 in. x 1.9 in.
(245 mm x 200 mm x 75 mm) (L x W x H)
- **Weight:** 3.2 lbs (1.45 kg)

Power

- 802.3at Compliant Power over Ethernet

Mounting

- Wall/Pole/Ceiling Mount Kit Included

Agency Approvals

Electrical/Safety Compliance

- UL 1950
- CSA 22.2
- IEC 60950
- EN 60950

Radio Approvals

- FCC Part 15.247
- RSS-210 (Canada)
- EN 300.328 (Europe)
- AS/NZS 4771 (Australia & New Zealand)
- EMI and Susceptibility (Class A)
- FCC Part 15.107 and 15.109
- ICES-003 (Canada)
- EN 301.489-1 and -17 (Europe)
- AS/NZS 3548

Warranty

- One Year Warranty



ADTRAN, Inc.
 Attn: Enterprise Networks
 901 Explorer Boulevard
 Huntsville, AL 35806
 P.O. Box 140000
 Huntsville, AL 35814-4000

256 963-8000
 256 963-8699 fax

General Information
 800 9ADTRAN
 info@adtran.com
 www.adtran.com

Bluesocket Business Group
 866-633-3358
 vWLAN@adtran.com
 www.adtran.com/bluesocket

Pre-Sales Technical Support
 888 423-8726
 application.engineer@adtran.com
 www.adtran.com/presales

Post-Sales Technical Support
 888 423-8726
 www.adtran.com/supportcase

Where to Buy
 888 423-8726
 channel.sales@adtran.com
 www.adtran.com/where2buy

ProServicesSM
 888 874-2237
 proservices@adtran.com
 www.adtran.com/proservices

Training
 888 423-8726
 training@adtran.com

Global Inquiries
 256 963-8000
 256 963-6300 fax
 international@adtran.com

ADTRAN believes the information in this publication to be accurate as of publication date, and is not responsible for error. Specifications subject to change without notice. ADTRAN, Bluesocket and vWLAN are registered trademarks of ADTRAN, Inc. and its affiliates in various countries. All other trademarks mentioned in this document are the property of their respective owners.

ADTRAN warranty duration and entitlements vary by product and geography. For specific warranty information, visit www.adtran.com/warranty

ADTRAN products may be subject to U.S. export controls and other trade restrictions. Any export, re-export, or transfer of the products contrary to law is prohibited.

For more information regarding ADTRAN's export license, please visit www.adtran.com/exportlicense



TL19.1270



THE BEST TELECOMMUNICATIONS PERFORMANCE QUALITY FOR YOUR ENVIRONMENT

ADTRAN is an ISO 9001, ISO 14001, and a TL 9000 certified supplier.

61700962F1-8A March
 Copyright © 2015 ADTRAN, Inc.
 All rights reserved.

Bluesocket 2135

Premium, High Density, High Performance
 Dual Radio Outdoor 802.11ac Access Point

Ordering Information

Choose Your Access Point

Choose Your AP	Part No.
Outdoor AP	
BSAP 2135: 802.11a/b/g/n/ac, 3x3:3, External N-type Antenna Connectors	1700962F1

Choose Your Cloud

Public Cloud – ProCloud	Part No.	Part No.
ProCloud for Outdoor AP (BSAP 2135)	NBD	7x24x4
One Year	1100MSPH210112	1100MSPH310112
Three Years	1100MSPH210136	1100MSPH310136
Five Years	1100MSPH210160	1100MSPH310160

Public Cloud – ProCloud Plus	Part No.	Part No.
ProCloud Plus for Outdoor AP (BSAP 2135)	NBD	7x24x4
One Year	1100MSPM210112	1100MSPM310112
Three Years	1100MSPM210136	1100MSPM310136
Five Years	1100MSPM210160	1100MSPM310160

Private Cloud	Part No.
vWLAN Virtual Appliance (VMware): www.adtran.com/downloadv wlan	Download Only
vWLAN 1U Rackmount Appliance (Hardware)	1700900F2
vWLAN Desktop Appliance (Hardware)	1700918F1

Licenses

Software License	Part No.
Licenses purchase waived while covered by ProCloud/ProCloud Plus	
Access Point vWLAN Software License (with built-in High Availability)	1951901G1
Access Point Unified User Access (Wired and Third-Party AP Support) Software License (Optional)	1951910G1

Accessories

Power Supply and Antennas	Part No.
802.3at compliant PoE+ injector for BSAP 2135	1700923F1
Antenna Bundle for BSAP 2135	1700930F1